


MiMIC: a highly versatile transposon insertion resource for engineering *Drosophila melanogaster* genes

Koen J T Venken, Karen L Schulze, Nele A Haelterman, Hongling Pan, Yuchun He, Martha Evans-Holm, Joseph W Carlson, Robert W Levis, Allan C Spradling, Roger A Hoskins & Hugo J Bellen


Supplementary figure 1	Crossing schemes for RMCE of MiMIC insertions on the second and third chromosomes
Supplementary Figure 2	Orientation of RMCE events within MiMIC insertions
Supplementary Figure 3	Construction of protein-trap plasmids for three intron phases
Supplementary Figure 4	Dynamic expression of Wnd during embryogenesis
Supplementary Table 1	Plasmids for RMCE-based tagging in MiMIC insertion lines
Supplementary Table 2	Association of MiMIC insertions with gene annotations features
Supplementary Table 3	Complementation analysis of lethal MiMIC insertion lines
Supplementary Table 4	Summary of gene-trapping experiments
Supplementary Table 5	Primers
Supplementary Table 6	Efficiency of RMCE conversion
Supplementary Data	Plasmid inserts

Supplementary Figure 1



Supplementary Figure 1. Crossing schemes for RMCE of MiMIC insertions on the second and third chromosomes. (a) Crosses for chromosome 2. (b) Crosses for chromosome 3. The phiC31 chromosome is yw.


Supplementary Figure 2



Supplementary Figure 2. Orientation of RMCE events within MiMIC insertions. (a)


RMCE with inverted *attP* sites flanking the gene trap and marker gene within the MiMIC transposon and inverted *attB* sites flanking the replacement cassette within a plasmid construct can result in the integration of the cassette in either of two orientations, one of which results in the desired allele. **(b)** Four PCR reactions distinguish between integration in the two orientations: a RMCE event is either positive for PCR reactions 1 and 4 or positive for PCR reactions 2 and 3. The desired PCR results depend on the orientation of the MiMIC insertion relative to the gene. **(c)** Illustrations of PCR results for the possible outcomes of RMCE events in two MiMIC insertions in the *tutl* gene. With *tutl* located on the forward strand and a MiMIC insertion on the reverse strand (Left), a “2/3” PCR pattern indicates a productive RMCE event. For a MiMIC insertion on the forward strand (Right), a “1/4” PCR pattern indicates a productive RMCE event. **(d)** PCR results for RMCE events in *CadN* using the 3 different splice phase plasmids containing the EGFP-FIAsH-StrepII-3xFlag tag. Only the correct “2/3” PCR pattern for the phase 0 plasmid resulted in expression (**Fig.3**).

Supplementary Figure 3



Supplementary Figure 3. Construction of protein-trap plasmids for three intron phases. (a) The multiple cloning sites and surrounding peptide linker coding sequences for constructing protein-trap plasmids in the three intron phases. The following sequence elements are indicated: the “ag” dinucleotide of the 5’ SA site, the sequence encoding the incomplete (GlyGlySer)₄ peptide linkers, the *Bam*H1 site between the peptide linkers used for subcloning of protein-trap tags, and the “gt” dinculeotide of the 3’ SD site. (b) Each protein-trap tag is amplified as indicated, flanked with a *Bam*H1 site and restriction stuffer at the 5’ end, and a “GGC” trinucleotide followed by a *Bam*H1 site and a restriction stuffer at the 3’ end. (c) After cloning of the tag into the *Bam*H1 site in the three intron phase plasmids, the resulting tag is flanked by flexible (GlyGlySer)₄ linkers at either end of the artificial exon.

Supplementary Figure 4



Supplementary Figure 4. Dynamic expression of Wnd during embryogenesis.

Expression of *wnd* transcript detected by mRNA *in situ* hybridization (**Left**) and expression of Wnd protein by anti-EGFP staining of a Wnd::EGFP-FIAsH-StrepII-3xFlag protein trap (**Right**) at embryonic stages 8, 11, 12, 14, 16. The mRNA and fusion

protein expression patterns are very similar. Bottom right, expression of Wnd as detected with an anti-Wnd antibody at embryonic stages 16 is shown (bottom).

Supplementary Table 1

Plasmid	Description
pBS-SK-attB1-2	General cloning and correction plasmid
pBS-KS-attB1-2-GT-SA	General gene trap plasmid
pBS-KS-attB1-2-GT-SA-mCherry-SV40	mCherry gene trap plasmid
pBS-KS-attB1-2-GT-SA-GAL4-Hsp70pA	GAL4 gene trap plasmid
pBS-KS-attB1-2-GT-SA-Flp-SV40	Flp gene trap plasmid
pBS-KS-attB1-2-GT-SA-QF-Hsp70	QF gene trap plasmid
pBS-KS-attB1-2-PT-SA-SD-0	General splice phase 0 protein trap plasmid
pBS-KS-attB1-2-PT-SA-SD-0-EGFP-FIAsH-StrepII-TEV-3xFlag	Splice phase 0 EGFP-FIAsH-StrepII-TEV-3xFlag plasmid
pBS-KS-attB1-2-PT-SA-SD-0-mCherry	Splice phase 0 mCherry plasmid
pBS-KS-attB1-2-PT-SA-SD-0-EBFP2-3xMyc	Splice phase 0 EBFP2-3xMyc plasmid
pBS-KS-attB1-2-PT-SA-SD-0-TagRFP-T-3xHA	Splice phase 0 TagRFP-3xHA plasmid
pBS-KS-attB1-2-PT-SA-SD-0-HRP-S	Splice phase 0 HRP-S plasmid
pBS-KS-attB1-2-PT-SA-SD-0-Dendra-V5	Splice phase 0 Dendra-V5 plasmid
pBS-KS-attB1-2-PT-SA-SD-0-KillerRed-V5	Splice phase 0 KillerRed-V5 plasmid
pBS-KS-attB1-2-PT-SA-SD-1	General splice phase 1 protein trap plasmid
pBS-KS-attB1-2-PT-SA-SD-1-EGFP-FIAsH-StrepII-TEV-3xFlag	Splice phase 1 EGFP-FIAsH-StrepII-TEV-3xFlag plasmid
pBS-KS-attB1-2-PT-SA-SD-1-mCherry	Splice phase 1 mCherry plasmid
pBS-KS-attB1-2-PT-SA-SD-1-EBFP2-3xMyc	Splice phase 1 EBFP2-3xMyc plasmid
pBS-KS-attB1-2-PT-SA-SD-1-TagRFP-T-3xHA	Splice phase 1 TagRFP-3xHA plasmid
pBS-KS-attB1-2-PT-SA-SD-1-HRP-S	Splice phase 1 HRP-S plasmid
pBS-KS-attB1-2-PT-SA-SD-1-Dendra-V5	Splice phase 1 Dendra-V5 plasmid
pBS-KS-attB1-2-PT-SA-SD-1-KillerRed-V5	Splice phase 1 KillerRed-V5 plasmid
pBS-KS-attB1-2-PT-SA-SD-2	General splice phase 2 protein trap plasmid
pBS-KS-attB1-2-PT-SA-SD-2-EGFP-FIAsH-StrepII-TEV-3xFlag	Splice phase 2 EGFP-FIAsH-StrepII-TEV-3xFlag plasmid
pBS-KS-attB1-2-PT-SA-SD-2-mCherry	Splice phase 2 mCherry plasmid
pBS-KS-attB1-2-PT-SA-SD-2-EBFP2-3xMyc	Splice phase 2 EBFP2-3xMyc plasmid
pBS-KS-attB1-2-PT-SA-SD-2-TagRFP-T-3xHA	Splice phase 2 TagRFP-3xHA plasmid
pBS-KS-attB1-2-PT-SA-SD-2-HRP-S	Splice phase 2 HRP-S plasmid
pBS-KS-attB1-2-PT-SA-SD-2-Dendra-V5	Splice phase 2 Dendra-V5 plasmid
pBS-KS-attB1-2-PT-SA-SD-2-KillerRed-V5	Splice phase 2 KillerRed-V5 plasmid

Supplementary Table 1. Plasmids for RMCE-based tagging in MiMIC insertion

lines. Correction plasmid, gene-trap plasmids, and protein-trap plasmids for intron phases 0, 1 and 2 are indicated. Accession numbers for master plasmids indicated in grey are available from GenBank. Sequence information of all components is available in Supplementary Data. All plasmids are available from the Drosophila Genomics Resource Center (<https://dgrc.cgb.indiana.edu/>).

Supplementary Table 2

MiMIC	# Lines	% of total	% of subclass
Intergenic	1,340	36.9%	
5' upstream	121	3.3%	9.0%
3' downstream	118	3.2%	8.8%
TE	32	0.9%	2.4%
Other intergenic	1,069	29.4%	79.8%
Intragenic	2,293	63.1%	
5' UTR exon	68	1.9%	3.0%
5' UTR intron	467	12.9%	20.4%
Coding exon	344	9.5%	15.0%
Coding intron	1,190	32.8%	51.9%
3' UTR exon	219	6.0%	9.6%
3' UTR intron	5	0.1%	0.2%
Total	3,633		

Supplementary Table 2. Association of MiMIC insertions with gene annotation

features. 63% of mapped MiMIC insertions are located within annotated genes (FlyBase r5.32), and the remainder are in intergenic regions. “5’ upstream” and “3’ downstream” are insertions within 500 bp of the 5’ or 3’ end of a gene, respectively. “TE” are insertions that can be mapped to unique sites within transposable elements.

Supplementary Table 3

Rfx	MI00053	Rfx49	Rfx253	7636
MI00053	Lethal			
Rfx49	Escapers			
Rfx253	Escapers	Escapers		
7636	Escapers	Escapers	Escapers	

tutl	MI00290	10979	Tutl4	Tutl23	TutlGAL4	TutlEx383	702
MI00290	Lethal						
10979	NO						
Tutl4	NO	NO					
Tutl23	NO	NO	NO				
TutlGAL4	NO	NO	NO	NO			
TutlEx383	NO	NO	NO	FEW	NO		
702	NO	NO	NO	NO	NO	NO	

comm	MI00380	A490	Δe39	17644	2992	5461
MI00380	Lethal					
A490	NO					
Δe39	NO	NO				
17644	NO	FEW	NO			
2992	NO	NO	NO	NO		
5461	NO	NO	NO	NO	NO	

wnd	MI00494	Wnd1	Wnd2	Wnd3	5584	7942
MI00494	Lethal					
Wnd1	YES					
Wnd2	YES	YES				
Wnd3	YES	YES	YES			
5584	YES	YES	YES	YES		
7942	YES	YES	YES	YES	YES	

Supplementary Table 3. Complementation analysis of lethal MiMIC insertion lines.

Results of complementation analysis are indicated for $Mi\{MIC\}Rfx^{MI00053}$ and previously described *Rfx* mutant alleles (see Online Methods), $Mi\{MIC\}tutl^{MI00290}$ and other *tutl* alleles (see Online Methods), $Mi\{MIC\}comm^{MI00380}$ and other *comm* alleles (see Online Methods), and $Mi\{MIC\}wnd^{MI00494}$ and other *wnd* alleles (see Online Methods). Failure to complement (NO); escapers illustrate a phenotype previously described for *Rfx* mutations (Escapers), and a few escapers without an obvious phenotype (FEW).

Supplementary Table 4

Gene	MiMIC	Gene trap	Lethality	RMCE			
				Cassette	Total	Expression	%
<i>gogo</i>	MI00065	NO	V	GAL4-Hsp70	4	2	50%
<i>Tl</i>	MI00181	NO	V	GAL4-Hsp70	4	1	25%
				FIP-SV40	6	2	33%
				QF-Hsp70	3	0	0%
<i>caps</i>	MI00249	NO	L	GAL4-Hsp70	6	1	17%
				FIP-SV40	5	2	40%
				QF-Hsp70	3	0	0%
<i>MYPT-75D</i>	MI00314	NO	V	GAL4-Hsp70	6	1	17%
				FIP-SV40	6	1	17%
				QF-Hsp70	5	2	40%
<i>BM-40-SPARC</i>	MI00329	NO	L	GAL4-Hsp70	3	2	67%
				FIP-SV40	6	1	17%
				QF-Hsp70	2	0	0%
Total					59	15	25%

Supplementary Table 4. Summary of gene-trapping experiments. MiMIC insertions in five genes were tagged with different gene-trap cassettes: gene name, MiMIC line identifier, gene-trap status, and associated phenotype, viable (V) or lethal (L), are indicated. Results for three gene-trap cassettes for each gene: total lines, number of expressing lines, percentage of expressing lines. The total numbers of lines and expressing lines, and the average percentage of expressing lines, are indicated.

Supplementary Table 5

Primer	Sequence
pMiLR-Correction-TOP	AGCTACCTTAATCTCAAGAAGAGCAAAACAAAGCAACTAATGTAACGGAAAGCTTGA
pMiLR-Correction-	TAATTTCGGCGGGATTCAAGCTTCCGTTACATTAGTTGCTTTGTTTGCTCTT
attP1-pMiLR-F	CCGAAGCTTCCCAGGTAGAACGGGTTTCCGGAG
attP1-pMiLR-R	CCGCTCGAGGCAGGCCGCTCTAGACCCGGGGATCCAACCCCTTGTGTCATGTCGG
attP2-pMiLR-F	CCGCTCGAGACTAGTCTGCAGGTGACGAATTCAACCCCTTGTGTCATGTCGGCGA
attP2-pMiLR-R	CCGCCGCGGCCAGGTAGAACGGGTTTCCGGAG
MHC-SA-XmaI-F	TCCCCCCGGGAGTCGATCCAACATGGCGACT
MHC-SA-EGFP-R	CTCCTCGCCCTTGCTCACCATTTGTTAGTTAGACCTGCGGAAGAGAGATAAA
MHC-SA-EGFP-F	GATTATCTCTTCCGAGGTCTAACTAACTAACAAATGGTGAGCAAGGGCGAG
EGFP-Spel-R	GGACTAGTTGATCATAATCAGCCATACCAC
attB1-pBS-F	CCGGAGCTCGCTAGCGATGTAGGTACGGTCTCGAAG
attB1-pBS-R	CCGGAATTCCCTGAGACTAGTTCTAGAGTCGACCATCATGATGGACCAGATGGTG
attB2-pBS-F	CCGGAATTCCCTGAGGGATCCAAGCTTGTGACCATCATGATGGACCAGATGGTG
attB2-pBS-R	CCGGGTACCATGCATGATGTAGGTACGGTCTCGAAG
SA-XbaI-F	GCTCTAGAAGTCGATCCAACATGGCGAC
SA-PstI-R	AACTGCAGGACCTGCGGAAGAGAGATAATC
GAL4-Hsp70-EcoRI-F	GGAATTCTAACTAACTAACAAATGAAGCTACTGTCTTCTATCGAAC
GAL4-Hsp70-BamHI-R	CGCGGATCCGGCCGCTCTAGAACTAGTGGATC
QF-SV40-EcoRI-F	GGAATTCTAACTAACTAACAAATGCCGCCTAACGCAAGACACTC
QF-SV40-BamHI-R	CGCGGATCCGATCCAGACATGATAAGATAACATTG
Fipo-SV40-EcoRI-F	GGAATTCTAACTAACTAACAAATGAGCCAGTTGACATCCTG
Fipo-SV40-BamHI-R	CGCGGATCCGATCCAGACATGATAAGATAACATTG
SA-SD-Phase-0-R	CGCGGATCCGCCGCTACCTCCGCTTCCACCGAACCTCCACCTGCGGAAGAGAG
SA-SD-Phase-0-F	CGCGGATCCGGAGGTAGCGGTGGAAGCGGAGGTTCCGGCGAGGTAAGTTATTGAA
SD-HindIII-R	CCCAAGCTTAGAAGTTCAAATGGGTTTC
SA-SD-Phase-1-R	CGCGGATCCGCCGCTACCTCCGCTTCCACCGAACCTCCGCCACCTGCGGAAGAG
SA-SD-Phase-1-F	CGCGGATCCGGAGGTAGCGGTGGAAGCGGAGGTTCCGGAGGTAAGTTATTGAACA

SA-SD-Phase-2-R	CGCGGATCCGCCGCTACCTCCGCTTCACCGAACCTCCGACCTGCAGAAGAGA
SA-SD-Phase-2-F	CGCGGATCCGGAGGTAGCGGTGGAAGCGGAGGTTCCGGCAGGTAAGTTATTGAAC
EGFPmultiFINAL-F	CGCGGATCCGTGTCAGGGCGAGGAGCTG
EGFPmultiFINAL-R	CGCGGATCCGCCCTTGTGTCATCGTCCTTGTAAATC
Cherry-F	CGCGGATCCGTGAGCAAGGGCGAGGAGGATAAC
Cherry-R	CGCGGATCCGCCCTTGTACAGCTCGTCCATG
EBFP2-Myc-F	CGCGGATCCGTGTCAGGGCGAGGAGCTGTT
EBFP2-Myc-R	CGCGGATCCGCCGAGATCCTCCTCCGAGATCAG
TagRFP-HA-F	CGCGGATCCGTGTCAGGGCGAGGAGCTGATC
TagRFP-HA-R	CGCGGATCCGCCAGCGTAGTCTGGCACGTCGTAG
HRP-S-F	CGCGGATCCCAGCTGACCCCCCACCTTCTACGATAAC
HRP-S-R1	TCGAACCTAGCGGCTGCGGTCCTGCCGCTTCCGCTGGCTGTTGCTGTTACACCGCG
HRP-S-R2	CGCGGATCCGCCGCTATCCATGTGCTGGCGCTCGAACCTAGCGGCTGCCGTC
Dendra-V5-F	CGCGGATCCAACACCCCCGGCATCACCTGATC
Dendra-V5-R1	AGCAGTGGATTGGGATCGGCTGCCGCCGCTTCCCCACACCTGGCTGGGAGGG
Dendra-V5-R2	CGCGGATCCGCCGGTGCTATCCAGTCCGAGCAGTGGATTGGGATGGCTT
KillerRed-V5-F	CGCGGATCCGGCAGCGAGGGCGGACCAGCCCTG
KillerRed-V5-R1	AGTCAGCAGTGGATTGGGATCGGCTGCCGCCGCTTCCATCCTCATGGAGC
KillerRed-V5-R2	CGCGGATCCGCCGGTGCTATCCAGTCCGAGCAGTGGATTGGGATC
mCherry-Seq-F	ACGGCGAGTTCATCTACAAG
mCherry-Seq-R	TTCAGCCTCTGCTTGATCTC
EGFPdo-Seq-F	GGATGACGGCACCTACAAGAC
EGFPdo-Seq-R	GTGGCTGTTGAAGTTGTACTC
EBFP2do-Seq-F	GGACGACGGCACCTACAAGAC
EBFP2do-Seq-R	GAAGTTGACTCCAGCTTGTG
TagRFPdo-Seq-F	GGCTGCCTGATCTACAACGTG
TagRFPdo-Seq-R	GGGTACAGCATCTCGGTGTTG
Hrpdo-Seq-F	AAGGATAGCTCCGCAACGTG
Hrpdo-Seq-R	GCTGAAGTTGTACAGGGCGATC

Dendrado-Seq-F	GATAAGGGCATCTGCACCATC
Dendrado-Seq-R	ACGTGCAGCTTCTCGGTGCTG
Killerreddo-Seq-F	CTACCGAGCTGGATGATAACCTG
Killerreddo-Seq-R	CAGGATATCGACCAGCTGATC
GAL4-1R	TGATGAGCTGCCGAGTCATC
GAL4-5F	AACTGTGCATCGTGCACCATC
FLP0-Seq-R	AGTAGATGTGCCTGGACACGCTTG
SV40pA-Long-F	TCCAACCTATGGAACTGATGAATG
QF-Seq-R1	TTGGCCGTCTTCAGATGGATCTTG
Hsp70-pA-Alt-F	GTCTATCGATACCGTCGACTAAAG
Orientation-MiL-F	GCGTAAGCTACCTTAATCTCAAGAACAG
Orientation-MiL-R	CGCGCGTAATGTGATTACTATCATAAC
Wnd-F	CGGTGTGGTGCATGGAAAT
Wnd-R	GGCACGTCGATGGCTGAGAT

Supplementary Table 5. Primers. Primers and sequences used in this study.

Supplementary Table 6

phiC31 MIMIC injections: OVERVIEW Phase 0 Swapping											
Inj	MI00296/Rhea (3)			MI00393/CadN (2)							
	Fertility	Trans	%	Fertility	Trans	%					
COR-SK	61	28	45.9%	22	8	36.4%					
A-0	50	34	68.0%	16	14	87.5%					
A-1	39	25	64.1%	16	10	62.5%					
A-2	40	14	35.0%	11	3	27.3%					
C-0	53	21	39.6%	8	2	25.0%					
D-0	55	28	50.9%	13	6	46.2%					
E-0	49	28	57.1%	13	6	46.2%					
F-0	18	9	50.0%	15	9	60.0%					
G-0	100	39	39.0%	15	8	53.3%					
H-0	43	22	51.2%	21	11	52.4%					
phiC31 MIMIC injections: OVERVIEW Phase 1 Swapping											
Inj	MI00053/Rfx (3)			MI00290/tutl (2)			MI00380/Comm (3)				
	Fertility	Trans	%	Fertility	Trans	%	Fertility	Trans	%		
COR-SK	3	2	66.7%	9	4	44.4%	33	17	51.5%		
A-0	30	17	56.7%	20	12	60.0%	13	9	69.2%		
A-1	5	2	40.0%	11	5	45.5%	18	12	66.7%		
A-2	5	2	40.0%	20	13	65.0%	32	13	40.6%		
C-1	14	2	14.3%	17	6	35.3%	18	7	38.9%		
D-1	11	5	45.5%	9	5	55.6%	14	7	50.0%		
E-1	18	6	33.3%	4	2	50.0%	24	13	54.2%		
F-1	16	8	50.0%	18	9	50.0%	21	15	71.4%		
G-1	41	17	41.5%	8	6	75.0%	25	10	40.0%		
H-1	8	4	50.0%	10	5	50.0%	12	6	50.0%		
phiC31 MIMIC injections: OVERVIEW Phase 2 Swapping											
Inj	MI00494/wnd (3)										
	Fertility	Trans	%								
COR-SK	3	0	0.0%								
A-0	18	7	38.9%								
A-1	12	1	8.3%								
A-2	14	5	35.7%								
C-2	10	4	40.0%								
D-2	10	6	60.0%								
E-2	8	5	62.5%								
F-2	9	6	66.7%								
G-2	7	3	42.9%								
H-2	3	1	33.3%								
phiC31 MIMIC injections: OVERVIEW 5'UTR Swapping											
Inj	MI00065/gogo (3)			MI00181/TI (3)			MI00249/CAPS (3)				
	Fertility	Trans	%	Fertility	Trans	%	Fertility	Trans	%		
2	12	6	50.0%	37	4	10.8%	14	9	64.3%		
3	6	0	0.0%	29	9	31.0%	14	9	64.3%		
4	5	0	0.0%	26	3	11.5%	10	3	30.0%		
MI00314/MYPT-75D (3)			MI00329/BM-40-SPARC (3)								
Fertility	Trans	%	Fertility	Trans	%	Fertility	Trans	%	Fertility	Trans	%
62	22	35.5%	15	3	20.0%						
30	8	26.7%	12	6	50.0%						
38	5	13.2%	15	2	13.3%						

Supplementary Table 6. Efficiency of RMCE conversion. Fertile vials (Fertility), vials with transgenic progeny scored by loss of the yellow⁺ marker of MiMIC (Trans) and RMCE efficiencies are indicated. RMCE efficiencies for protein-trapping experiments in intron phases 0, 1 and 2 for MiMIC insertions in coding introns, and for enhancer-

trapping experiments using MiMIC insertions in 5' UTR introns, are indicated. Plasmids used are the correction plasmid (COR-SK); the GAL4 (2), Flp (3), and QF (4) gene trap plasmids; and the EGFP-FlAsH-StrepII-3xFlag (A), mCherry (C), EBFP2-3xMyc (D), TagRFP-3xHA (E), HRP-S (F), Dendra-V5 (G) and Killer Red-V5 (H) protein-trap plasmids. Intron phases of the protein trap plasmids are indicated (0, 1 or 2).

Supplementary Data. Plasmid inserts. Sequences of gene trap inserts and protein trap inserts.

GENE TRAP INSERTS

pBS-KS-attB1-2-GT-SA-GAL4-Hsp70pA EcoRI/BamHI insert

GAL4 ORF

gaattcTAACTAACAAACAAAATGAAGCTACTGTCTTATCGAACAGCATGCGATATTGCC
GACTAAAAAGCTCAAGTGCTCCAAAGAAAAACCGAAGTGCACCAAGTGTCTGAAGAACAACTG
GGAGTGTGCTACTCTCCAAAAGCAGCTCCGCTGACTAGGGCACATCTGACAGAAGTG
GAATCAAGGCTAGAAAGACTGGAACAGCTATTCTACTGATTTCTCGAGAACAGCTTGACA
TGATTTGAAAATGGATTCTTACAGGATATAAAAGCATTGTTAACAGGATTATTGTACAAGA
TAATGTGAATAAAAGATGCCGTACAGATAGATTGGCTTCAGTGGAGACTGATATGCCCTAAC
TTGAGACAGCATAGAATAAGTGCACATCATCATCGGAAGAGAGTAGTAACAAAGGTCAAAGAC
AGTTGACTGTATCGATTGACTCGGCAGCTCATCATGATAACTCCACAAATTCCGTTGGATTTAT
GCCAGGGATGCTCTCATGGATTGATTGGCTGAAGAGGATGACATGTCGGATGGCTGCC
TTCCTGAAAACGGACCCACAATAATGGGTTCTTGCGACGGTCTCTTATGTATTCTC
GATCTATTGGCTTAAACCGAAAATTACACGAACCTAACGTTAACAGGCTCCGACCATGAT
TACGGATAGATAACACGTTGGCTCTAGATCCACAACATCCGTTACTCAAAGTTATCTCAAT
AATTTCACCCCTACTGCCCTATCGCACTCACCGACGCTAACGTTAACAGGCTCCGAC
TTGAAATCGCGTCAAGGATCAATGGCAAATCCTTTAACTGCATATTAGCCATTGGAGCCTG
GTGTATAGAGGGGAATCTACTGATATAGATGTTTTACTATCAAAGTCAAATCTCATTG
ACGAGCAAGGTCTCGAGTCAGGTTCCATAATTTGGTACAGGCCACATCTCTGCGGAT
ATACACAGTGGAGGCAGAAAACAAATACTAGCTATAATTCACAGCTTTCCATAAGAATGGC
CATATCATTGGCTTGAATAGGGACCTCCCCTGCTCAGTGTAGCAGCATTCTGGAACAA
AGACGCCAATTGGTGGTCTGTCTACTCTGGGAGATCCAATTGCCCTGTTATGGTCGAT
CCATCCAGCTTCTCAGAATACAATCCTCCCTCTGTCAGCAGTGTGCGAGCGTACAC
AACAGGTCCCACCATAATCATGGCATCATTGAAACAGCAAGGCTTACAAGTTACAAAAA
ATCTATGAACTAGACAAACAGTAAC TGCAAGAAAAAGTCTATATGTGCAAAAAAATGCTGA
TGATTTGTAATGAGATTGAGGAGGTTCTGAGACAGGCACCAAGTTTACAAATGGATATTG
CACCACCGCTCTAACCAATTGTTGAAGGAACACCCTGGCTATCCTTACAAGATTGCAACTG
AAAGTGGAAACAGTTGTCTTATCATTATGTATTAAAGAGATTGTTACTAATTACCCAGA
AAAAGTCACAACAGGATCAAAATGATCATCAAAGTTAGTAAACAGATGCTCCAT
CATGTTAAGCGATGCAGCACAAAGAAACTGTTATGTCTGTAAGTAGCTATATGGACAATCATAAT
GTCACCCATATTGCTGGATTGTTCTTATTACTGTTCAATGCAGTCCTAGTACCCATAA
AGACTCTACTCTCAAACACTCAAATCGAATGCTGAGAATAACGAGACCGCACAATTATTACAACA
AATTAACACTGTTCTGATGCTATTAAAAAAACTGCCACTTTAAAATCCAGACTTGTGAAAAAA
TACATTCAAGTACTGGAAGAGGTATGTGCGCCGTTCTGTTACAGTGTGCAATCCCATTAC
CGCATATCAGTTATAACAATAGTAATGGTAGGCCATTAAAAATATTGTCGGTTCTGCAACTAT
GCCCAATACCCACTCTTCCGGAGGAAATGTCAACAAATATCAGTGTAAATATGTTCTCCT
GGCTCAGTAGGGCCTTCACCTGTGCCATTGAAATCAGGAGCAAGTTCAAGTGTGATCTAGTCAAGC
TGTTATCTAACCGTCCACCCCTCTCGTAACCTCCAGTGCACATACCAAGAACAGCTGCAATCATTAGTGC
TCGCTCAGTCACGCCCTTCTAGGGCAACAGCAACAGCTGCAATCATTAGTGCACAGCCCCG
TCTGCTTGTGTTGGCGCCAATTAAATCAAAGTGGAAATTGCTGATAGCTCATTGCTC

TCACTTCACTAACAGTAGAACGGTCCGAACCTCATAACAACCAAATTCTCAAGCGCT
TTCACAACCAATTGCCTCCTCTAACGTTCATGATAACTCATGAATAATGAAATCACGGCTAGT
AAAATTGATGATGTAATAATTCAAAACCACTGTCACCTGGTGGACGGACCAAACGTGCGTATA
ACCGGTTGGAATCACTACAGGGATGTTAATACCACTACAATGGATGATGTATATAACTATCT
ATTGATGATGAAGATAACCCACCAAACCCAAAAAGAGTAAATGAATCGTAGATACTGAAA
AACCCCGCAAGTTCACTTGCACTGTGCATCGCACCCTCAATTCTTCATTATACATCG
TTTGCCCTCTTTATGTAACTATACTCCTCTAAGTTCAATCTGGCCATGTAACCTCTGATC
TATAGAATTTTAAATGACTAGAATTAAATGCCATCTTTGGACCTAAATTCTTCATGA
AAATATATTACGAGGGCTTATTCAGAAGCTTATCGATACCGTCGACTAAAGCCAAATAGAAATT
ATTCAAGTTCTGGCTTAAGTTTAAAGTGAATTATTATTGGTTGTAACCAACCAAAGAA
TGAAATAACTAACATAATTATGTTAGTTAAGTTAGCAACAAATTGATTTAGCTATATT
AGCTACTTGGTTAATAATAGAATATATTATTAAAGATAATTCGTTTATTGTCAGGGAGT
GAGTTGCTTAAACTCGTTAGATCCACTAGTTCTAGAGCGGCCggatcc

pBS-KS-attB1-2-GT-SA-Fipo-SV40 EcoRI/BamHI insert

Fipo ORF

gaattcTAACTAACAAATGAGCCAGTCGACATCCTGTCAAGACCCCCCCCAGGGTGC
TGGTGGCAGTCGTGGAGAGATTGAGAGGCCAGCGCGAGAACATGCCAGCTGTGCCGC
CGAGCTGACCTACCTGTGCTGGATGATCACCCACAACGGCACCGCATCAAGAGGGCACCTTC
ATGAGCTACAAACACCATCATCAGCAACAGCCTGAGCTCGACATCGTAACAAGAGCCTGCAGT
TCAAGTACAAGACCCAGAAGGCCACCATCCTGGAGGCCAGCCTGAAGAACGCTGATCCCCGCC
GGAGTTCACCATCATCCCTTACAACGCCAGAACGACCAAGAGCGACATCACCGACATCGTGTCC
AGCCTGCAGCTGCAGTCGAGAGCAGCGAGGAGGCCACAAGGGCAACAGCCACAGCAAGAAGA
TGCTGAAGGCCCTGCTGTCCGAGGGCAGAGCATCTGGGAGATCACCGAGAACGATCCTGAACAG
CTTCGAGTACACCAGCAGGTTACCAAGACCAAGACCCCTGTACCAAGCTTCTGGCCACA
TTCATCAACTGCGCAGGTTCAGCGACATCAAGAACGCTGGACCCCAAGAGCTTCAAGCTGGTGC
AGAACAAAGTACCTGGCGTGATCATTCAAGTGCCTGGTACCGAGAACGACAGCGTGTCCAG
GCACATCTACTTTTCAGGCCAGAGGCAGGATCGACCCCTGGTGTACCTGGACGAGTTCTG
AGGAACAGCGAGCCCGTGCTGAAGAGAGTGAACAGGACCGAACAGCAGCAACAAGCAGG
AGTACCAAGCTGCTGAAGGACAACCTGGTGCAGCTACAACAAGGCCCTGAAGAACGACGCC
CTACCCCCATCTCGCTATCAAGAACGCCCTAACAGGCCACATCGGCAGGCACCTGATGACCAGC
TTCTGAGCATGAAGGCCCTGACCGAGCTGACAAACGTGGTGGCAACTGGAGCGACAAGAGGG
CCTCCGCCGTGGCCAGGACCAACCTACACCCACCAAGATCACGCCATCCCCGACCAACTTCGC
CCTGGTGTCCAGGTACTACGCCTACGACCCATCAGCAAGGAGATGATGCCCTGAAGGACGAG
ACCAACCCATCGAGGAGTGGCAGCACATCGAGCAGCTGAAGGGCAGGCCAGGGCAGCAGTCA
GATAACCCGCCTGGAACGGCATCATCAGCCAGGAGGTGCTGGACTACCTGAGCAGCTACATCAA
CAGCGGATCTGATAATCTAGAGGATCTTGTGAAGGAACCTACTTCTGTGGTGTGACATAAT
TGGACAAACTACCTACAGAGATTAAAGCTCTAACGGTAAATATAAAATTAAAGTGTATAATG
TGTTAAACTACTGATTCTAATTGTTGTATTAGATTCCAACCTATGGAACGTGATGAATGG
GAGCAGTGGTGGAAATGCCTTAATGAGGAAAACCTGTTGCTCAGAAGAACGCCATCTAGTG
ATGATGAGGCTACTGCTGACTCTAACATTCTACTCCTCCAAAAAGAACGAGAAAGGTAGAAGA
CCCCAAGGACTTCCCTCAGAATTGCTAACGGTAAATGAGCTGTTAGTAATAGAACT
CTTGCTTGCCTTGCTATTACACCACAAAGGAAAAGCTGCACTGCTATACAAGAAAATTATGG
AAAAATATTGATGTATAGGCCTTGACTAGAGATCATAATCAGCCATACCACATTGTAGAGG
TTTACTTGCTTAAAAAACCTCCCACACCTCCCCCTGAACCTGAAACATAAAATGAATGCAAT
TGTTGTTGTTAACTGTTATTGCAGCTTATAATGGTTACAAATAAGCAATAGCATCACAAAT
TTCACAAATAAGCATTTCACTGCATTCTAGTTGTGGTTGTCCAAACTCATCAATGTAT
CTTATCATGTCTGGATCggatcc

pBS-KS-attB1-2-GT-SA-QF-Hsp70 EcoRI/BamHI insert

QF ORF

gaattcTAACTAACAAATGCCGCCTAACGCAAGACACTCAATGCCGCTGCCGAAGCCA
ATGCCCACGCTGATGGCATGCTGATGGCAATGCTGATGGTCATGTCGCTAACACTGCAGCAAG
CAGCAACAACGCCGTTTGGGACTTGACCAACATTGACACACCCGGCCTGGCCCTACCACG
ACGACGTTACTTGTGAGCCGCTCGTCGAAACGCCAGAGAGTCAGTGAGGGCCTGTGATCAGT
GTCGAGCTGCACGTAAAAGTGTGATGGAATCCAGCCGGCTTGGCTTCCCCTGTGTCGAGGG
CCGGTCGTGTACCTACCAGGCCAGTCCAAGAAGCGAGGAGTCCAGACGGGCTACATCCGCACT
CTCGAAGTGGCTCTGGCTGGATGTTGAGAACGTTGCCGCAGCGAGGACGCCCTCCACAATC
TTTGGTCCGTGATGCTGGCAGGGCAGCGCTCTCTGGTCGGCAAAGACTCGCCTGTCAGA
ACGCTGCATGCAAGATGGCGACGAGTCAGTCACAAAAGCATCACCCGTCTCTCAGGT
CAGGCCGACAAGATCCATCTGAAGACGCCAATCCCGTCCGAAGACATAATGTCAGATG
CCGGGCAAAGACATCCGACTTCCCATGCGCCTACTGACTTCTCGGCCTAAGTCTAG
TACAGCTGAGACACGCACTTACCCAGGCCGGTCCGACCCATTTCGGCAAACACCCCTGGAA
AACAAACCTTCAGCCAGATGGTACCGGGATAGGGAAAGCTACCACCCAAATCATTGGCGCCTGCTGG
ATATCTACTTTCTACACGCATTCTGGCTCCCTATCCTGAGAAAGAAAGACATGTACCAAGC
ATTGTACCAAGTACTCTGAACAAGGCTCGTGTGCTCCCTGCGAATGTCAGTCTGGCGTTCAT
GCCGAGCTCTGGAGCGCGCTGCCCTGGCGCTTCCAGGCTGCTACTGCTGCATCGAGTG
CTACGGGTCCAGCTTCAGCTGCTCATGGCCATGACAATGCCATCAATCCTCACCTGCAGACAT
ATCTGACACAGCCGAAAGCTCATACCTTGAAAGCGGGCCGTTCCAGGTCAGCACTGCAGA
GCGTTGCTGCTTCTTGCTCGTAAGCCTTGGCGGGATGATTGGAGTCTGCTTGGTGTGG
TTGGCTTGCCTCGCGTCCACTTGTGTCGACCCAGTTGCCTCTGATGATGACCGGCC
ACGACCAAGAATGCGTGCCTGCTCGTGTGCTCATCGTGGATACCATTGTGTATGAGA
CACAACGTGCCGGCCATCTCAAGCCAGACGACATTGCGGATCTGCCGTACCTGAAGACGGTC
AAGATCAATGGGAGCCGTGGACACCATGAGGGCTTAGGCGGTGAACACACCATGCTGCAAAT
GTTGAGGAACCCGGCATACCTTAAGCACATTCAACCACCTATATGGCGTGACCAAGCTGGTT
GCTTGGAGCTTGCCAAGAATACGAACATCTCACAGAACGCTCCCTGGAGTTAGGTC
GGTGCAGCAGGTAATGCCACAATTCTCCCTCAGCGTCTTGTCTTCCCAGGATACAGC
ATCGGCTTTGTGCCTACTGCATACCTTACCGTACCGTTATTTATGGCAGCTGCCCTTCT
GAGCCTCTCAACGAAACACTACTCGCATCTGATCGAAACTCTGATCAGTATCAGAAGCGGT
TTGGTACATATGCAATCCCACCTCTGATCCCTCTCTTAGACTCCCTTCTGCTTAAAGAA
ACAATCACATTCTCAGAGCGGATCGAAGGCACCTGGAAGAGCTTCCCCGCTACTCCTCC
ATTGGCCTCGGGAGGCCACAGCAACTGGCCTCCAACCCATACGACAACCTGAGCTTC
CGCCGACTGCGACTGCCACTGCAAGTATCATGCCCATGTCATGGAACAGCCCCTGTCACGTC
AATAATCCGGTCAATGATCGGTTAATGGAATACCGAATCCTACCCCTACAATAGCGATGCG
GCCCTAGACGCAATTACTCAAACCAATGACTACGGATCAGTCAATACCCATGGCATTCTCAGTA
CATATCCACCACTGCCACCACTTGAACGAGGCCTCGTGGCCCTGCGCTGGAGGTGCTCC
TCCCAGACCACCCCGCCATACGTTGATAGTACAACGAACCATCCTCCTACCATAGTAACCTC
GTCCCCATGGCAATTGCGATATTGACTGAGTATGATGCGATGGGGATGATCTGGCAT
CGATCGAGTACACGGATGCGGTTGACGTTGATCCGCACTGACGAACCTCGGGTTGTCCC
AGGGTGTATTTAGCGATATCAACACGTATGAGCAATAGGACGTCTATCGATACCGTCGACTA
AAGCCAAATAGAAAATTATTCACTGGCTTAAGTTTAAAGTGTGATATTATTATTGGT
TGTAACCAACCAAAAGAATGTAATAACTAATACATAATTGTTAGTTAAGTTAGCAACAA
ATTGATTTAGCTATATTAGCTACTTGGTTAATAAATAGAATATATTATTAAAGATAATTG
GTTTTATTGTCAGGGAGTGAGTTGCTTAAAAACTCGTTAGATCCggtaacc

PROTEIN TRAP INSERTS

pBS-KS-attB1-2-PT-SA-SD-0/1/2-EGFP-FIAsH-StrepII-TEV-3xFlag BamHI insert

GFP

FIAsH

StrepII

TEV

3xFlag

ggatcc**GTGTCCAAGGGCGAGGAGCTGTTACCGGCGTGGTGCCATCCTGGTGGAGCTGGATG**
GCGACGTGAACGGCCACAAGTTCAGCGTCGCGCGAGGGCGAGGGCGACGCCACCAACGGCAA
GCTGACCCTGAAGTTCATCTGCACCACCGCAAGCTGCCGTGCCCTGCCAACCTGGTGACC
ACCTGACCTACGGCGTGCAGTGCTTCAGCCCTACCCGATCACATGAAGCAGCACGATTCT
TCAAGAGCGCCATGCCGAGGGCTACGTGCAGGAGCGCACCATCAGCTCAAGGATGACGGCAC
CTACAAGACCCCGCGCCGAGGGTAAGTTCGAGGGCGATACCCTGGTAACCGCATCGAGCTGAAG
GGCATCGATTCAAGGAGGATGGCAACATCCTGGCCACAAGCTGGAGTACAACCTCAACAGCC
ACAACGTGTACATACCGCCGATAAGCAGAAGAACGGCATCAAGGCCACTTCAAGATCCGCCA
CAATGTGGAGGATGGCTCCGTGCAGCTGGCCGATCACTACCAGCAGAACACCCCCATGGCGAC
GGCCCAGTGTGCTGCCGATAACCAACTACCTGAGCACCCAGAGCGTGCTGTCCAAGGACCCCA
ACGAGAACGCGGATCACATGGTGCTGGAGTTCGTGAACCGCCGGCATCACCTGGCAT
GGATGAGCTGTACAAGGAGAGCAGCGGAGCTCCTGAAGTGTGCTGCCAGGATGCTGCATGGAA
CCGGGAAGCGGCA**ACTGGTCCCACCCCCAGTTGAGAAGGAAAACCTGTACTTCCAGAGC**GATT****
ACAAGGATCACGACGGCGACTACAAGGACCACGATATTGATTACAAGGACGATGACGACAAGGG
Cggatcc

pBS-KS-attB1-2-PT-SA-SD-0/1/2-mCherry *Bam*HI insert

mCherry

ggatccGTGAGCAAGGGCGAGGAGGATAACATGCCATCATCAAGGAGTCATGCGCTTCAAGG
TGCACATGGAGGGCTCCGTGAACGCCACGAGATCGAGGGCGAGGGCGAGGGCCGCC
CTACGAGGGCACCCAGACGCCAAGCTGAAGGTGACCAAGGGTGGCCCCCTGCCCTCGCCTGG
GACATCCTGTCCCCCTCAGTTCATGTACGGCTCCAAGGCCTACGTGAAGCACCCGCCGACATCC
CCGACTACTTGAAGCTGTCTCCCCGAGGGCTTCAAGTGGGAGCGCGTGATGAACCTCGAGGA
CGGCGCGTGGTGACCGTACCCAGGACTCCTCCCTGCAGGACGGCGAGTTCATCTACAAGGTG
AAGCTGCGCGCACCAACTTCCCCTCGACGGCCCCGTAATGCAGAAGAAGACCATGGGCTGGG
AGGCCTCTCCGAGCGGATGTACCCCGAGGACGGCGCCCTGAAGGGCGAGATCAAGCAGAGGCT
GAAGCTGAAGGACGGCGGCCACTACGACGCTGAGGTCAAGACCACCTACAAGGCCAAGAACGCC
GTGCAGCTGCCCGCGCCTACAACGTCAACATCAAGTTGGACATCACCTCCCACAACGAGGACT
ACACCATCGTGGAACAGTACGAACCGCGAGGGCCGACTCCACCGGGCATGGACGAGCT
GTACAAGGGCggatcc

pBS-KS-attB1-2-PT-SA-SD-0/1/2-EBFP2-3xMyc BamHI insert

EBFP2

3xMyc

ggatcc**GTGTCCAAGGGCGAGGAGCTTACCGCGTGGTGCCCATCCTGGTGGAGCTGGATG**
GCGACGTGAACGCCACAAGTTCAGCGTGCACGGCGAGGGCGAGGGCGACGCCACCAACGGCAA
GCTGACCTGAAGTTCATCTGCACCACCGCAAGCTGCCGTGCCCTGGCCCACCCCTGGTGACC
ACCTGAGCCACGGCGTCAGTGCCTCGCCCTACCCGATCACATGAAGCAGCACGATTCT
TCAAGAGGCCATGCCGAGGGCTACGTGCAGGAGCGCACCATTCTCAAGGACGACGGCAC
CTACAAGACCCGCGCCGAGGTGAAGTCAGGGCGATACCTGGTGAACCGCATCGAGCTGAAG
GGCGTGGATTCAAGGAGGATGGCAACATCCTGGGCCACAAGCTGGAGTACAACCTCAACAGCC
ACAACATCTACATCATGGCGTGAAGCAGAAGAACGGCATCAAGGTCAACTTCAAGATCCGCA
CAACGTGGAGGATGGCTCCGTGCAGCTGGCGATCACTACCGAGCAGAACACCCCCATGGCGAC
GGCCCCGTGCTGCCGATAGCCACTACCTGAGCACCCAGAGCGTGTCCAAGGACCCCA
ACGAGAACGCGATCACATGGTGTGCTGGAGTTCCGCCACCGCCGGCATCACCTGGCAT
GGATGAGCTGTACAAGGAAAGCGCGAGCAAAAGCTCATCAGCGAGGAAGATCTGGAACAGAAG
TTGATTCCGAAGAGGACTGGAGCAGAAACTGATCTCGGAGGAGGATCTCGGggatcc

pBS-KS-attB1-2-PT-SA-SD-0/1/2-TagRFP-T-3xHA *Bam*HI insert

TagRFP

3xHA

ggatccGTGTCCAAGGGCGAGGAGCTGATCAAGGAGAACATGCACATGAAGCTGTACATGGAGG
GCACCGTGAAACAACCACCACTCAAGTGCACCAGCGAGGGCGAGGGCAAGCCCTACGAGGGCAC
CCAGACCATGCGCATCAAGGTGGTGGAGGGCGGCCACTGCCCTCGCCTCGATATCCTGGCC
ACCTCCTTCATGTACGGCAGCCGCACCTTCATCAACCACACCCAGGGCATCCCCGATTCTTCA
AGCAGAGCTTCCCCGAGGGCTTCACCTGGAGCGCGTGANACCTACGAGGATGGCGCGTGCT
GACCGCCACCCAGGATAACCAGCCTGCAGGATGGCTGCCTGATCTACAACGTGAAGATCCGCC
GTGAACCTCCCCAGCAACGGCCCGTGATGCAGAAGAAGACCCCTGGCTGGAGGCCAACACCG
AGATGCTGTACCCCGCCATGGCGGCCCTGGAGGGCCGCACCGATATGGCCCTGAAGCTGGCG
CGCGGCCACCTGATCTGCAACTCAAGACCACCTACCGCAGCAAGAAGCCGCCAAGAACCTG
AAGATGCCGGCGTGTACTACGTGGATCACCGCCTGGAGCGCATTAGGAGGCCATAAGGAGA
CCTACGTCGAGCAGCACGAGGTGGCGTGGCCGCTACTGCGATCTGCCGTCCAAGCTGGGACA
CAAGCTGAACGGCATGGATGAGCTGTACAAGGGAAGCGGCTACCCATACGATGTGCCGATTAC
GCCTACCGTATGACGTCCCGACTATGCCTATCCCTACGACGTGCCAGACTACGCTGGCggat
cc

pBS-KS-attB1-2-PT-SA-SD-0/1/2-HRP-S *BamHI* insert

HRP

S

ggatccCAGCTGACCCCCACCTTCTACGATAAACAGCTGCCCAACGTGTCCAACATCGTGC
GCG ATACCATCGTGAACGAGCTGCGCAGCGATCCCCGATTGCCGCCAGCATCCTGCCCTGC
ACTT CCACGATTGCTTCGTGAATGGCTGCGACGCCCTCCATCCTGCTGGATAACACCAC
CTCGTTCCGC ACCGAGAAGGATGCCTCGGCAACGCCAACAGCGCCCGTGGCTCCCCGT
GATCGATCGCATGA AGGCCGCCGTGGAGAGCGCCTGCCAACGCACCGTGT
CCTGCGCCGATCTGCTGACCATTGCCGC CCAGCAGAGCGTGACCC
CTGGCCGGAGGACCAAGTTGGCGTGTGCCACTGGGACGCCGATAGC CTGCAG
GCCCTTCCTGGATCTGCCAACGCCAACCTGCGCAGCCCCCTTCTCAC
CCCTGCCAGC TGAAGGATAGCTCCGCAACGTGGGCTGAACCGCAGCAGCGATCTGG
TGGCCCTGAGCAGGACACACACCTCGGCAAGAACCCAGTGCCGCTTC
CATCATGGATCGCCTGTACAACCTCAGCAACACC GGCCTGCC
GATCCCACCC
CTGAACACCCACCTACCTGCA
GACCC
CTGCCGCTGTGCC
CCCCCTGA ACGCAACCTGAGCGCCCTGGTGGATT
TCGATCTGCGCACCCCC
ACCATCTTCGACAACAAGTA CTACGTGAACCTGGAGGAGCAGAAGGG
CCTGATCCAGAGCGATCAGGAGCTGTT
CAGCAGCCCC AACGCCACCGATACC
ATCCCCCTGGTGC
GAGCTTCGCC
AACTCG
GACCC
AGACCTT
CTAACG CCTCGTGGAGGCC
ATGGATCG
CATGGCAACATCACCCCC
CTGACCG
GACCC
AGGGCC
AGAT CCGC
CTGA
ACTGCC
CGTGGT
GAACAG
CAACAGC GGAAGCG
GCAAGGAGACCG
CAGCCG
CTAAG
TTCGAGCG
GCCAG
CACATGG
ATAGC GGC
ggatcc

pBS-KS-attB1-2-PT-SA-SD-0/1/2-Dendra-V5 *BamHI* insert

Dendra

V5

ggatccAACACCCCCGGCATCAACCTGATCAAGGAAGATATGCGCGTCAAGGTGCACATGGAGG
GCAACGTGAACGGCCACGCCCTCGTATCGAGGGCGAGGGCAAGGGAAAGCCCTACGAGGGCAC
CCAGACCGCCAACCTGACCGTGAAGGGAGGAGCCCGCTGCCCTTCAGCTACGATATCCTGACC
ACCGCCGTGCACTACGGCAACCGCGTGTTCACCAAGTACCCCGAGGATATCCCCGATTACTTCA
AGCAGAGCTTCCCCGAGGGCTACAGCTGGAGCGCACCATGACCTCGAGGATAAGGGATCTG
CACCACCGCAGCGATATCAGCCTGGAGGGCGATTGCTTCTTCCAGAACGTGCGCTTCAAGGGC
ACCAACTCCCCCCCACGGCCCGTGATGCAGAAAAAGACCCCTGAAGTGGGAGGCCAGCACCG
AGAAGCTGCACGTGCGCACGGCCTGCTGGTGGCAACATCAACATGGCCCTGCTGGAGGG
CGGAGGACACTACCTGTGCGATTCAAGACCACCTACAAGGCCAAGAAGGTGGTCCAGCTGCC
GATGCCCACTCGTGGATCACCGATCGAGATCCTGGCAACGATAGCGATTACAACAAGGTGA
AGCTGTACGAGCACGCCGTGGCCCGCTACAGCCCCCTGCCAGCCAGGTGTGGGAAGCGGC**GG**
CAAGCCGATCCC**GAATCC****ACTGCTGGACTGG****ATAGCACC****GGCggatcc**

pBS-KS-attB1-2-PT-SA-SD-0/1/2-KillerRed-V5 BamHI insert

Killerred

V5

ggatccGGCAGCGAGGGCGGACCAGCCCTGTTCCAGAGCGATATGACCTCAAGATCTTCATCG
ACGGCGAGGTGAACGCCAGAAGTTCACCATCGTCGCCGATGGCAGCAGCAAGTCCCCCACGG
CGATTCAACGTGCACGCCGTGCGAGACGGCAAGCTGCCATGAGCTGGAAGCCCATCTGC
CACCTGATCCAGTACGGCGAGCCCTCTCGCCCGCTACCCCGATGGCATCAGCCACTTCGCC
AGGAGTGCTTCCCCGAGGGCTGAGCATCGATCGCACCGTGCCTCGAGAACGATGGCACCAT
GACCAGCCACCAACACCTACGAGCTGGATGATACTGCGTGGTGTCCGCATACCGTGAACCTGC
GACGGCTTCCAGCCCGATGCCCATCATGCGCGATCAGCTGGTCGATATCCTGCCAACGAGA
CCCACATGTTCCCGCACGGCCCCAACGCCGTGCGCCAGCTGGCTTCATCGCTTACCCACC
CGATGGCGGCCTGATGATGGGCCACTCGATAGCAAGATGACCTCAACGGCAGCCGCATC
GAGATCCCAGGCCCACTCGTGACCATCATCACCAAGCAGATGCGCGATACCAGCGATAAGC
GCGATCACGTGTGCCAGCGCGAGGTGGCCTACGCCAACAGCGTGCCTGCATCACCGGCCAT
CGGCTCCGATGAGGATGGAAGCGGCGCAAGCCGATCCACTGCTCGGACTGGATAGC
ACC_{GG}Cggatcc